INTERNATIONAL JOURNAL OF GERIATRIC PSYCHIATRY

Contents

VOLUME 16 NUMBERS 1–12

NUMBER 1, JANUARY 2001

Psychogeriatric Reactivation in a Psychiatric-Skilled Nursing Home: A Clinical-Empirical Exploration: T. J. E. M. Bakker, H. J. Duivenvoorden and W. J. Schudel 1

Acute Confusional State in Elderly Orthopaedic Patients: Factors of Importance for Detection in Nursing Care: E. M. Andersson, L. Gustafson and I. R. Hallberg 7

The Role of Tests of Frontal Executive Function in the Detection of Mild Dementia: J. Nathan, D. Wilkinson, S. Stammers and J. L. Low 18

Are Psychiatrists Guilty of 'Ageism' When it Comes to Taking a Sexual History? W. P. Bouman and J. Arcelus 27

Correlates of Family Caregivers' Knowledge About Alzheimer's Disease: P. Werner 32

Prevalence and Pharmacological Management of Behavioural and Psychological Symptoms Amongst Dementia Sufferers Living in Care Environments: M. Margallo-Lana, A. Swann, J. O'Brien, A. Fairbairn, K. Reichelt, D. Potkins, P. Mynt and C. Ballard 39

Functional Analysis of Challenging Behaviour in Dementia: The Role of Superstition: E. Moniz-Cook, R. T. Woods and K. Richards 45

General Practice Consultation Rates for Psychiatric Disorders in Patients Aged 65 and Over: Prospective Cohort Study: R. Shah, R. McNiece and A. Majeed 57

Camdex, Can it be More Efficient? Observational Study on the Contribution of Four Screening Measures to the Diagnosis of Dementia by a Memory Clinic Team: H. van Hout, S. Teunisse, M. Derix, P. Poels, Y. Kuin, M Vernooij-Dassen, R. Grol and W. Hoefnagels 64

Factors Affecting Survival of Elderly Nursing Home Residents: M. C. Dale, A. Burns, L. Panter and J. Morris 70

Clinical Features of Dementia Associated with Apolipoprotein E4: Discrimination with a Neural Network Genetic Algorithm: M. F. Jefferson, S. Burlinson, A. Burns, D. Mann, S. Pickering-Brown, F. Owen, C. Sriwardhana, N. Pendleton and M. A. Horan 77

Day-Clinic Treatment of Late-Life Depression: A. Bramesfeld, G. Adler, S. Brassen and M. Schnitzler 82

Telepsychiatry in Psychogeriatric Service: A Pilot Study: W. K. Tang, H. Chiu, J. Woo, M. Hjelm and E. Hui 88

Evaluation of the Dementia Carers Situation in Russia: V. Golimbet and V. Trubnikov 94

Older Patients Referred to a Consultation-Liaison Psychiatry Clinic: P. Wilkinson, J. Bolton and C. Bass 100

Bright Light Therapy and Melatonin in Motor Restless Behaviour in Dementia: A Placebo-Controlled Study: P. M. J. Haffmans, R. C. Sival, S. A. P. Lucius, Q. Cates and L. Van Gelder 106

Letter to the Editor 111

Book Reviews 113

Current Awareness 115

NUMBER 2, FEBRUARY 2001

Relationship of Psychosis to Aggression, Apathy and Function in Dementia: M. J. Rapoport, R. van Reekum, M Freedman, D. Streiner, M. Simard, D. Clarke, T. Cohen and D. Conn 123

Mortality and Depressive Symptoms in Inhabitants of Residential Homes: P. Cuijpers 131

Relationship Between Aggressive Behaviors and Depression among Nursing Home Residents with Dementia: A. S. Menon, A. L. Gruber-Baldini, J. R. Hebel, B. Kaup, D. Loreck, S. Itkin Zimmerman, L. Burton, P. German and J. Magaziner 139

Determinants for the Use of Psychotropics among Nursing Home Residents: L. Sørensen, A. Foldspang, N. C. Gulmann and P. Munk-Jørgensen 147

Psychiatric Disorder and Personality Factors Associated with Suicide in Older People: A Descriptive and Case-Control Study: D. Harwood, K. Hawton, T. Hope and R. Jacoby . 155

The ITEL-MMSE: An Italian Telephone Version of the Mini-Mental State Examination: T. Metitieri, C. Geroldi, A. Pezzini, G. B. Frisoni, A. Bianchetti and M. Trabucchi 166

Clinical Characteristics of Individuals with Subjective Memory Loss in Western Australia: Results from a Cross-Sectional Survey: R. M. Clarnette, O. P. Almeida, H. Forstl, A. Paton and R. N. Martins 168

Depression in Older People with Mild Stroke, Carotid Stenosis and Peripheral Vascular Disease: A Comparison with Healthy Controls: R. Rao, S. Jackson and R. Howard 175

Neuropsychiatric Differences Between Parkinson's Disease with Dementia and Alzheimer's Disease: D. Aarsland, J. L. Cummings and J. P. Larsen 184

Family, Alzheimer's Disease and Negative Symptoms: P. Thomas, J. P. Clément, C. Hazif-Thomas and J. M. Léger 192

Religion and End of Life Treatment Preferences among Geriatric Patients: O. Heeren, A. S. Menon, A. Raskin and P. Ruskin 203

Aggressive Behaviors among Demented Nursing Home Residents in Japan: A. S. Schreiner 209

The Mini-Cog: Receiver Operating Characteristics with Expert and Naïve Raters: J. Scanlan and S. Borson 216

Tolerability and Effectiveness of Atypical Antipsychotics in Male Geriatric Inpatients: S. Verma, C. A. Orengo, M. E. Kunik, D. Hale and V. A. Molinari 223

CASE REPORT

Failure to Breathe Following ECT: S. Critchlow, P. Gormley and A. Montgomery 228

Letters to the Editor 230

Book Reviews 237

Current Awareness 240

NUMBER 3, MARCH 2001

EDITORIAL

The socioeconomic impact of Alzheimer's disease: N. Bosanquet 249

A double blind, randomized clinical trial assessing the efficacy and safety of augmenting standard anti-depressant therapy with Nimodipine in the treatment of 'vascular depression': F. E. Taragano, R. Allegri, A. Vicario, P. Bagnetti and C. G. Lyketsos 254

The Cognitive Decline Scale of the Psychogeriatric Assessment Scales (PAS): longitudinal data on its validity A. F. Jorm, H. Christensen, P. A. Jacomb, A. E. Korten and A. J. Mackinnon 261

Care management and the care programme approach: towards integration in old age mental health services: J. Hughes, K. Stewart, D. Challis, R. Darton and K. Weiner 266

Institutionalization of demented elderly: the role of caregiver characteristics: A. M. Pot, D. J. H. Deeg and C. P. M. Knipscheer 273

Depression in late life, cognitive decline and white matter pathology in two clinico-pathologically investigated cases: A. J. Lloyd, J. B. Grace, E. Jaros, R. H. Perry, A. F. Fairbairn, A. G. Swann, J. T. O'Brien and I. G. McKeith 281

Psychometric evaluation of a short observational tool for small-scale research projects in dementia: J. Smallwood, E. Irvine, F. Coulter and H. Connery 288

The prevalence and outcome of depression and dementia in Botany's elderly population: J. Snowdon and F. Lane 293

Attempted and completed suicide in older subjects: results from the WHO/EURO Multicentre study of suicidal behaviour: D. De Leo, W. Padoani, P. Scocco, D. Lie, U. Bille-Brahe, E. Arensman, H. Hjelmeland, P. Crepet, C. Haring, K. Hawton, J. Lonnqvist, K. Michel, X. Pommereau, I. Querejeta, J. Phillipe, E. Salander-Renberg, A. Schmidtke, S. Fricke, B. Weinacker, B. Tamesvary, D. Wasserman and S. Faria 300

Dementia with Lewy bodies in Down's syndrome: M. Simard and R. van Reekum 311

The effectiveness of very short scales for depression screening in elderly medical patients: I. M. Pomeroy, C. R. Clark, and I. Philp 321

Equity of access to a memory clinic in Melbourne? Non-English speaking background attenders are more severely demented and have increased rates of psychiatric disorders: D. LoGiudice, A. Hassett, R. Cook, L. Flicker and D. Ames 327

CONFERENCE REPORT

28th Symposium of the European Association of Geriatric Psychiatry: M. Philpot and R. Rao 335

Letters to the Editor 337

Book Review 340

Current Awareness 341

NUMBER 4, APRIL 2001

Acute confusional state in the elderly following hip surgery: incidence, risk factors and complications: P. Galanakis, H. Bickel, R. Gradinger, S. von Gumppenberg and H. Förstl 349

Contribution of PTSD/POW history to behavioral disturbances in dementia: S. Verma, C. A. Orengo, R. Maxwell, M. E. Kunik, V. A. Molinari, J. J. Vasterling and D. D. Hale 356

The association between depressive symptoms and cognitive decline in community-dwelling elderly persons: H. C. Comijs, C. Jonker, A. T. F. Beekman and D. J. H. Deeg 361

Behavioral profile of Alzheimer's disease in Chinese elderly – a validation study of the Chinese version of the Alzheimer's disease behavioral pathology rating scale: L. C. W. Lam, W. K. Tang, V. Leung and H. F. K. Chiu 368

Delirious mania in the elderly: D. Weintraub and S. Lippmann . 374

Temporal patterns of disruptive vocalization in elderly nursing home residents: L. D. Burgio, K. Scilley, J. M. Hardin and C. Hsu 378

The comparison of burden between caregiving spouses of depressive and demented patients: E. Leinonen, L. Korpisammal, L.-M. Pulkkinen and T. Pukuri 387

A comparison of five clock scoring methods using ROC (receiver operating characteristic) curve analysis: J. E. Storey, J. T. J. Rowland, D. Basic and D. A. Conforti 394

Estimating the costs of informal care for people with Alzheimer's disease: methodological and practical challenges: D. McDaid 400

Development and validation of the Observation List for early signs of Dementia (OLD): M. Hopman-Rock, E. C. P. M. Tak and P. G. M. Staats 406

Delirium in the non-demented oldest old in the general population: risk factors and prognosis: T. Rahkonen, U. Eloniemi-Sulkava, P. Halonen, A. Verkkoniemi, L. Niinistö, I.-L. Notkola and R. Sulkava 415

Unequal distribution of cognitive deficits in vascular dementia – is this a valid criterion in the ICD-10?: P. F. Boston, M. S. Dennis, C. Jagger, M. Jarman and C. Lamers .. 422

Temporal lobe-oriented CT scanning and dementia in Down's syndrome: B. A. Lawlor, M. McCarron, G. Wilson and M. McLoughlin 427

Validating mini-mental status, cognitive capacity screening and Hamilton depression scales utilizing subjects with vascular headaches: J. S. Meyer, Y.-S. Li and J. Thornby 430

Letters to the Editor 436

Current Awareness 442

NUMBER 5, MAY 2001

A feasibility study of antidepressant drug therapy in depressed elderly patients with chronic obstructive pulmonary disease: A. M. Yohannes, M. J. Connolly and R. C. Baldwin 451

Depressive symptoms among cognitively normal versus cognitively impaired elderly subjects: Y.-S. Li, J. S. Meyer and J. Thornby 455

Persecutory symptoms and perceptual disturbance in a community sample of older people: the Islington study: G. Livingston, G. Kitchen, M. Manela, C. Katona and J. Copeland 462

Regional cerebral volume measurements in late-life depression: relationship to clinical correlates, neuropsychological impairment and response to treatment: S. W. Simpson, R. C. Baldwin, A. Burns and A. Jackson 469

An age-based comparison of chronic pain clinic patients: C. Wijeratne, S. Shome, I. Hickie and A. Koschera 477

Hyponatraemia and selective serotonin in re-uptake inhibitors in elderly patients: D. Kirby and D. Ames 484

The characterisation and impact of 'fluctuating' cognition in dementia with Lewy bodies and Alzheimer's disease: C. Ballard, M. Walker, J. O'Brien, E. Rowan and I. McKeith 494

The progression of cognitive impairment in dementia with Lewy bodies, vascular dementia and Alzheimer's disease: C. Ballard, J. O'Brien, C. M. Morris, R. Barber, A. Swann, D. Neill and I. McKeith 499

Psychosis, depression and behavioural disturbances in Sydney nursing home residents: prevalence and predictors: H. Broadaty, B. Draper, D. Saab,L.-F. Low, V. Richards, H. Paton and D. Lie 504

Olfactory identification is impaired in clinic-based patients with vascular dementia and senile dementia of Alzheimer type: A. J. Gray, V. Staples, K. Murren, A. Dhariwal and P. Bentham 513

Cognitive function in UK community-dwelling African Caribbean elders: normative data for a test battery R. Stewart, M. Richards, C. Brayne and A. Mann 518

A comparative study of psychiatric symptoms in dementia with Lewy bodies and Parkinson's disease with and without dementia: D. Aarsland, C. Ballard, J. P. Larsen and I. McKeith 528

Letters to the Editor 537

Book Review 543

Current Awareness 544

NUMBER 6, JUNE 2001

EDITORIAL

Interventions for depressed elderly primary care patients: G. S. Alexopoulos and the PROSPECT Group 553

The systematic assessment of depressed elderly primary care patients: P. J. Raue, G. S. Alexopoulos, M. L. Bruce, S. Klimstra, B. H. Mulsant, J. J. Gallo and the PROSPECT Study Group 560

The benefits of a broader perspective in case-finding for disease management of depression: early lessons from the PROSPECT Study: J. C. Coyne, G. Brown, C. Datto, M. L. Bruce, H. C. Schulberg and I. Katz 570

Managing late-life depression in primary care practice: a case study of the Health Specialist's role: H. C. Schulberg, C. Bryce, K. Chism, B. H. Mulsant, B. Rollman, M. Bruce, J. Coyne, C. F. Reynolds III and the PROSPECT Study Group 577

Pharmacological treatment of depression in older primary care patients: The PROSPECT algorithm: B. H. Mulsant, G. S. Alexopoulos, C. F. Reynolds III, I. R. Katz, R. Abrams, D. Oslin, H. C. Schulberg and the PROSPECT Study Group 585

High risk management guidelines for elderly suicidal patients in primary care settings: G. K. Brown, M. L. Bruce, J. L. Pearson and the PROSPECT Study Group 593

Treatment as usual (TAU) control practices in the PROSPECT Study: managing the interaction and tension between research design and ethics: C. F. Reynolds III, H. Degenholtz, L. S. Parker, H. C. Schulberg, B. H. Mulsant, E. Post, B. Rollman and the PROSPECT Study Group 602

Improvement of cognitive functions after cobalamin/folate supplementation in elderly patients with dementia and elevated plasma homocysteine: K. Nilsson, L. Gustafson and B. Hultberg 609

Assessment of dementia in nursing home residents by nurses and assistants: criteria validity and determinants: L. Sørensen, A. Foldspang, N. C. Gulmann and P. Munk-Jørgensen 615

Depression, depressive symptoms and mortality in persons aged 65 and over living in the community: a systematic review of the literature: P. Saz and M. E. Dewey 622

Cognitive impairment and functional status in elderly institutionalized patients with schizophrenia: M. M. Kurtz, P. J. Moberg, L. Harper Mozley, T. Hickey, S. E. Arnold, W. B. Bilker and R. E. Gur 631

RESEARCH LETTER

Dietary and endogenous antioxidants in dementia: N. Tabet, D. Mantle, Z. Walker and M. Orrell 639

Letters to the Editor 642

Current Awareness 645

NUMBER 7, JULY 2001

EDITORIAL

Pharmacotherapy of Alzheimer's disease: is there a need to redefine treatment success?: B. Winblad, H. Brodaty, S. Gauthier, J. C. Morris, J. Orgogozo, K. Rockwood, L. Schneider, M. Takeda, P. Tariot and D. Wilkinson 653

Neuropathological correlates to clinically defined dementia with Lewy bodies: E. Londos, U. Passant, L. Gustafson and A. Brun 667

The incidence of dementia in an Australian community population: the Sydney Older Persons Study: L. M. Waite, G. A. Broe, D. A. Grayson and H. Creasey 680

High prevalence of anxiety symptoms in hospitalized geriatric patients: K. Kvaal, J. Macijauskiene, K. Engedal and K. Laake 690

Clinically significant depressive symptoms and very mild to mild dementia of the Alzheimer Type: E. H. Rubin, L. L. Veiel, D. A. Kinscherf, J. C. Morris and M. Storandt 694

Secondary prevention of depressive symptoms in elderly inhabitants of residential homes: P. Cuijpers and P. van Lammeren 702

An investigation of visual hallucinosis and visual sensory status in dementia: C. Murgatroyd and R. Prettyman 709

Guidelines for the management of agitation in dementia: R. Howard, C. Ballard, J. O'Brien and A. Burns on behalf of the UK and Ireland Group for Optimization of Management in Dementia 714

Longitudinal follow-up of depressive symptoms among normal versus cognitively impaired elderly: Y. Li, J. S. Meyer and J. Thornby 718

Confidence of primary care physicians in assessing the suicidality of geriatric patients: M. S. Kaplan, M. E. Adamek and J. L. Martin 728

RESEARCH LETTER

Correlation between clock-drawing test and paranoid and delusional ideation in dementia of the Alzheimer's type: J. Heinik, I. Solomesh, V. Shein, R. Mester, A. Bleich and D. Becker 735

Current Awareness 737

NUMBER 8, AUGUST 2001

EDITORIAL

Reliability and validity of a chronic care facility adaptation of the Clinical Dementia Rating scale: D. B. Marin, S. Flynn, M. Mare, M. Lantz, M. -A. Hsu, M. Paredes, T. Shreve, G. R. Zaklad and R. C. Mohs 745

Dementia, cognitive impairment and mortality in persons aged 65 and over living in the community: a systematic review of the literature: M. E. Dewey and P. Saz 751

Risk factors for falling in a psychogeriatric unit: A. J. de Carle and R. Kohn 762

Elderly Japanese emigrants to Brazil before World War II: I. Clinical profiles based on specific historical background: M. Meguro, K. Meguro, P. Caramelli, J. Ishizaki, H. Ambo, R. Y. S. Chubaci, G. S. Hamada, R. Nitrini and A. Yamadori 768

Elderly Japanese emigrants to Brazil before World War II:II. Prevalence of senile dementia: K. Meguro, M. Meguro, P. Caramelli, J. Ishizaki, H. Ambo, R. Y. S. Chubaci, G. S. Hamada, R. Nitrini and A. Yamadori 775

Depressive symptoms and associated factors in a cognitively normal elderly population: the Tajiri Project: H. Ambo, K. Meguro, J. Ishizaki, M. Shimada, S. Yamaguchi, Y. Sekita and A. Yamadori 780

Validation study of the Chinese version of the neuropsychiatric inventory (CNPI): V. P. Y. Leung, L. C. W. Lam, H. F. K. Chiu, J. L. Cummings and Q. L. Chen 789

Memory rehabilitation in Alzheimer's disease: a review of progress: L. P. De Vreese, M. Neri, M. Fioravanti, L. Belloi and O. Zanetti 794

Factors associated with mortality in patients with early-onset Alzheimer's disease: a five-year longitudinal study: A. Ueki, H. Shinjo, H. Shimode, T. Nakajima and Y. Morita 810

Training in communication skills for informal carers of people suffering from dementia: a cluster randomised clinical trial comparing a therapist led workshop and a booklet: D. T. Done and J. A. Thomas 816

Letters to the Editor 822

Book Reviews 826

Current Awareness 829

NUMBER 9, SEPTEMBER 2001

EDITORIAL

How do memory clinics compare with traditional old age psychiatry services?: A. Luce, I. McKeith, A. Swann, S. Daniel and J. O'Brien 837

Measuring the opinions of memory clinic users: patients, relatives and general practitioners: H. P. J. van Hout, M. J. F. J. Vernooij-Dassen, W. H. L. Hoefnagels and R. P. T. M. Grol 846

Galantamine: a randomized, double-blind, dose comparison in patients with Alzheimer's disease: D. Wilkinson and J. Murray in collaboration with the Galantamine Research Group 852

Verbal aggression in Alzheimer's disease. Clinical, functional and neuropsychological correlates: A. Eustace, N. Kidd, E. Greene, C. Fallon, S. N. Bhrain, C. Cunningham, R. Coen, J. B. Walsh, D. Coakley and B. A. Lawlor 858

Bupropion SR in the naturalistic treatment of elderly patients with major depression: D. C. Steffens, P. M. Doraiswamy and D, R. McQuoid 862

A short-term inpatient program for agitated demented nursing home residents: P. K. Wiener, D. N. Kiosses, S. Klimstra, C. Murphy and G. S. Alexopoulos 866

Markers for the functional availability of cobalamin/folate and their association with neuropsychiatric symptoms in the elderly: B. Hultberg, A. Isaksson, K. Nilsson and L. Gustafson 873

To tell or not to tell – comparison of older patients' reaction to their diagnosis of dementia and depression: A. Jha, N. Tabet and M. Orrell 879

Frequency of behavioral symptoms characterizes agitation in Alzheimer's disease: R. E. Tractenberg, A. Gamst, M. F. Weiner, E. Koss, R. Thomas, L. Teri and L. Thal 886

The Psychogeriatric Assesment Scales (PAS): psychometric properties in French and German speaking populations: A. Mackinnon and R. Mulligan 892

Psychotropic drug use in elderly people with and without dementia: M. S. T. Giron, Y. Forsell, C. Bernsten, M. Thorslund, B. Winblad and J. Fastbom 900

Extrapyramidal signs and cognitive abilities in Alzheimer's disease: M. P. Caligiuri, G. Peavy and D. R. Galasko 907

Diagnosis of dementia from the History and Aetiology Schedule: M. E. Dewey and J. R. M. Copeland 912

Letters to the Editor 918

Book Reviews 921

Announcement 922

Current Awareness 923

NUMBER 10, OCTOBER 2001

EDITORIAL

State funded continuing care for the elderly mentally ill: a legal and ethical solution?: P. Simmons and M. Orrell 931

The clock drawing test in primary care: sensitivity in dementia detection and specificity against normal and depressed elderly: M. Kirby, A. Denihan, I. Bruce, D. Coakley and B. A. Lawlor 935

Depressive symptoms among poststroke patients in Japan: frequency distribution and factor structure of the GDS: A. S. Schreiner, T. Morimoto and H. Asano 941

Social isolation predicts re-hospitalization in a group of older American veterans enrolled in the UPBEAT Program: R. Mistry, J. Rosansky, J. McGuire, C. McDermott and L. Jarvik and the UPBEAT Collaborative Group 950

Depressive symptoms in patients with Alzheimer's disease: N. Purandare, A. Burns, S. Craig, B. Faragher and K. Scott 960

Recurrent falls are associated with increased length of stay in elderly psychiatric inpatients: E. Greene, C. J. Cunningham, A. Eustace, N. Kidd, A. W. Clare and B. A. Lawlor 965

Death and dementia: J. Keene, T. Hope, C. G. Fairburn and R. Jacoby 969

Depression in the community dwelling elderly: Do clinical and sociodemographic factors influence referral to psychiatry?: A. Eustace, A. Denihan, I. Bruce, C. Cunningham, D. Coakley and B. A. Lawlor 975

Psychometric properties of the state part of the Spielberger State-Trait Anxiety Inventory (STAI) in geriatric patients: K. Kvaal, K. Laake and K. Engedal 980

Vitamin B12 in primary health care and geriatrics – attitudes, knowledge and competence: J. Lökk, M. Nilsson, B. Norberg, J. Hultdin, H. Sandström and G. Westman 987

Depression and anxiety disorders among Jews from the former Soviet Union five years after their immigration to Israel: N. Zilber, Y. Lerner, R. Eidelman and J. Kertes 993

Lithium use in octogenarians: S. Fahy and B. A. Lawlor 1000

Discontinuation of lithium augmentation in an elderly cohort: S. Fahy and B. A. Lawlor 1004

Aromatherpy and behaviour disturbances in dementia: a randomised controlled trial: J. Smallwood, R. Brown, F. Coulter, E. Irvine and C. Copland 1010

Letter to the Editor 1014

Current Awareness 1017

INTERNATIONAL JOURNAL OF GERIATRIC PSYCHIATRY

NUMBER 11, NOVEMBER 2001

EDITORIAL

Obituary: R. Jacoby 1025

Advances of the Epidemiology of Alzheimer's disease: will empiricism improve the public's health?: G. J. Kennedy 1028

The evolving typology of neuropsychiatric complications of Alzheimer's disease: the use of latent trait analysis: B. S. Meyers 1030

Characteristics of Chinese suicide attempters admitted to a geropsychiatric unit: C.-H. Yang, S.-J. Tsai, J.-W. Chang and J.-P. Hwang 1033

An evidence-based proposal for the classification of neuropsychiatric disturbance in Alzheimer's disease: C. G. Lyketsos, J. C. S. Breitner and P. V. Rabins 1037

Neuropsychiatric disturbance in Alzheimer's disease clusters into three groups: the Cache County study: C. G. Lyketsos, J. M. E. Sheppard, M. Steinberg, J. A. T. Tschanz, M. C. Norton, D. C. Steffens and J. C. S. Breitner 1043

Depression in Singapore: failure to demonstrate an age effect on clinical features: L. L. Tan, L. L. Ng, S. Tan, K. Roy, H. Broadaty and G. Parker 1054

Validation and normative data of health status measures in older people: the Islington study: T. Pettit, G. Livingston, M. Manela, G. Kitchen, C. Katona and A. Bowling 1061

Memory self-appraisal and depressive symptoms in people at genetic risk for Alzheimer's disease: G. W. Small, S. T. Chen, S. Komo, L. Ercoli, K. Miller, P. Siddarth, A. Kaplan, D. Dorsey, H. Lavretsky, S. Saxena and S. Y. Bookheimer 1071

Are the care levels of people with dementia correctly assessed for eligibility of the Japanese long-term care insurance?: H. Ito, H. Tachimori, Y. Miyamoto and Y. Morimura . 1078

Psychotic (delusional) major depression in late life: a clinical study: R. Gournellis, L. Lykouras, A. Fortos, P. Oulis, V. Roumbos and G. N. Christodoulou 1085

Disability and mild cognitive impairment: a longitudinal population-based study: S. Artero, J. Touchon and K. Ritchie . 1092

Depression cognitive impairment and function in Alzheimer's disease: D. A. V. Espiritu, H. Rashid, B. T. Mast, J. Fitzgerald, J. Steinberg and P. A. Lichtenberg 1098

RESEARCH LETTER

Tacrine may alter APP-like protein levels in the lumbar CSF of Alzheimer patients: N. A. Clarke, H. Soininen, L. Gustafson, L. Minthon, K. Alhainen and P. T. Francis 1104

Letters to the Editor 1107

Book Reviews 1110

Current Awareness 1111

NUMBER 12, DECEMBER 2001

Predictors of institutionalization of cognitively-impaired elderly cared for by their relatives: N. Spruytte, C. Van Audenhove and F. Lammertyn 1119

MRI white matter hyperintensities, ^{1}H-MR spectroscopy and cognitive function in geriatric depression: a comparison of early- and late-onset cases: T. Murata, H. Kimura, M. Omori, H. Kado, H. Kosaka, T. Iidaka, H. Itoh and Y. Wada 1129

Acetylcholinesterase treatment — modelling potential demand and auditing practice: S. Lovestone and D. Murray . 1136

Alzheimer's disease in the UK: comparative evidence on cost of illness and volume of health services research funding: A. Lowin, M. Knapp and P. McCrone 1143

Subjective health measures and acute treatment outcomes in geriatric depression: E. J. Lenze, M. D. Miller, M. A. Dew, L. M. Martire, B. H. Mulsant, A. E. Begley, R. Schulz, E. Frank and C. F. Reynolds III 1149

A double-blind randomised comparison of risperidone and haloperidol in the treatment of behavioural and psychological symptoms in Chinese dementia patients: W. Chan, L. C. Lam, C. N. Choy, V. P. Leung, S. Li and H. F. Chiu . 1156

Citalopram augmentation of antipsychotic treatment in older schizophrenia patients: J. W. Kasckow, S. Mohamed, A. Thallasinos, B. Carroll, S. Zisook and D. V. Jeste 1163

Dementia in people with Down's syndrome: J. Tyrrell, M. Cosgrave, M. McCarron, J. McPherson, J. Calvert, A. Kelly, M. McLaughlin, M. Gill and B. A. Lawlor 1168

Letters to the Editor 1175

Book Review 1181

Current Awareness 1184

Author Index 1193

Keyword Index 1196

Volume Contents i

NUMBER S1, DECEMBER 2001

MANAGEMENT OF PSYCHOSES IN OLDER PEOPLE
Editor: A. Burns

Introduction: A. Burns S1

Psychosis and behavioural symptoms of dementia: defining the role of neuroleptic interventions: B. Lawlor and S. N. Bhriain S2

Negative symptoms in the elderly patient with dementia: W. E. Reichman and A. Negron S7

Dementia with Lewy bodies: diagnosis and management: R. Barber, A. Panikkar and I. G. McKeith S12

Tardive dyskinesias in the elderly: G. Fabbrini, P. Barbanti and C. Aurilia S19

The central cholinergic system profile of olanzapine compared with placebo in Alzheimer's disease: J. S. Kennedy, A. Zagar, F. Bymaster, G. Nomikos, P. T. Trzepacz, J. A. Gilmore, M. D. Rotelli, A. Breier and G. Tollefson S24

A current review of olanzapine's safety in the geriatric patient: from pre-clinical pharmacology to clinical data: J. S. Kennedy, F. P. Bymaster, L. Schuh, D. O. Calligaro, G. Nomikos, C. C. Felder, M. Bernauer, B. J. Kinon, R. W. Baker, D. Hay, H. J. Roth, M. Dossenbach, C. Kaiser, C. M. Beasley, J. H. Holcombe, M. B. Effron and A. Breier S33

Long-term efficacy of olanzapine in the control of psychotic and behavioural symptoms in nursing home patients with Alzheimer's dementia: J. S. Street, W. S. Clark, D. L. Kadam, S. J. Mitan, B. E. Juliar, P. D. Feldman and A. Breier S62

Olanzapine in the treatment of anxiety symptoms due to Alzheimer's disease: a post hoc analysis: J. Mintzer, W. Faison, J. S. Street, V. K. Sutton and A. Breier S71

Cognitive impairment in elderly patients with schizophrenia: age related changes: P. D. Harvey S78

Psychotropics and drug interactions in the elderly patient: C. L. E. Katona S86